

Message

From: Reinhart, Roger [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=218AC2FB5AD8481BBE8FD68E3F0D1E1F-RREINHAR]
Sent: 11/16/2016 5:15:04 PM
To: Rowsey, Kevin [rowsey.kevin@epa.gov]
Subject: FW: Result letter Mailed Recently and Updated Spreadsheets
Attachments: Result letters mailed 111416.pdf; Result letters mailed 111516.pdf; DRAFT WW 31 Status 111516.xlsx; DRAFT Friends and Neighbors 111516.xlsx; DRAFT Health Department Recheck 111516.xlsx

From: Davis, Katherine L [mailto:katherine.l.davis@aecom.com]
Sent: Tuesday, November 15, 2016 4:36 PM
To: Reinhart, Roger <Reinhart.Roger@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>
Cc: Andrew.S.Hartten@chemours.com
Subject: Result letter Mailed Recently and Updated Spreadsheets

Roger and Jennifer,

Attached are two PDFs of letters we mailed to residents yesterday and today. Also attached are three DRAFT Updated spreadsheets. The DRAFT WW 31 Status 111516 provides the status of the WW - 31 list of residents and the extra folks identified during the initial work. Cells highlighted in yellow indicate continued action items while green cells indicate no additional action is planned. The second spreadsheet, DRAFT Friends and Neighbors 111516, includes residents who have called regarding the offer of sampling, typically based on knowing someone on the original WW – 31 list. Again, cells highlighted in yellow indicate continued action items while green cells indicate no additional action is planned. The third spreadsheet, DRAFT Health Department Recheck 111516, provides the status of sampling and attempts to contact those folks identified by the various health departments between 2009 and 2016 that were to be offered sampling if they have drinking water wells which had not previously been sampled. The same colors are used to identify current status. Please take a look and let me know if you have questions. We are still working on obtaining coordinates for all locations and getting the posted as a new layer on the PDF. Thank you.

Kathy

Katherine L. Davis, PhD
PFAS Technical Practice Group Leader
Principal Geologist, Philly Metro Area
D 1-302-781-5890
C 1-302-530-2687
Katherine.L.Davis@aecom.com

AECOM
4051 Ogletown Road, Sabre Building Suite 300, Newark, Delaware 19713
T 1-302-781-5900 F 1-302-781-5901
www.aecom.com